



Specifications Multipack 4x Noxion
LED Waterproof Batten Ecowhite V3.0
36/50W 4680/6500lm - 830-865 CCT |
150cm

[View Product](#)

General Information

| | |
|--------------------------|------------------------------------------------------------------------------------------------|
| SKU | 253034 |
| EAN | 8719157059305 |
| Brand | Noxion |
| Manufacturer Name | Multipack 4x Noxion LED Waterproof Ecowhite V3.0 1500mm - 36/50W - 130lm/w - Max 6500lm - 3CCT |
| Any Lamp all-in warranty | 4 Years |
| Average Lifetime (h) | 50000 |

Technical Information

| | |
|-----------------------------|-------------------------------------------------|
| Technology | LED Integrated |
| Replaces (Watt) | 2x58 |
| Wattage | 50 |
| Voltage (V) | 220-240 |
| Dimmable | Not Dimmable |
| Colour of Light | White |
| Colour Code | 830 Warm White, 840 Cool White, 865 Daylight |
| Colour temperature (Kelvin) | 3000 Warm White, 4000 Cool White, 6500 Daylight |
| Colour Rendering (Ra) | 80-89 |
| Light colour options | CCT |
| Luminous Flux (Lumen) | 6500 |
| Luminous Efficacy (lm/W) | 130 |

| | |
|--------------------------|-----------------------|
| Power factor | >0.90 |
| Including bulb | Yes |
| Amount of bulbs required | 1 |
| Length | 150cm |
| Product Type Category | LED Waterproof Batten |

Fixture Information

| | |
|------------------------|-------------------------------|
| Mounting Method | Surface |
| Fixture Connection | Push Terminal |
| Optical Cover | PC (Polycarbonate) |
| IP-rating | IP65 |
| Impact Protection (IK) | IK10 - 20 joules |
| Operating Temperature | -20 to +40 |
| Housing | Aluminium, PC (Polycarbonate) |
| Colour of the Fixture | White |
| Emergency Lighting | No Emergency Unit |
| Series | Ecowhite |

Dimensions

| | |
|-------------|------|
| Length (mm) | 1580 |
| Width (mm) | 64 |
| Height (mm) | 57 |

Why Any-lamp?

Sensor Information

 Order from the **largest lighting specialist** in Europe  **Customised** quotation
 Type of sensor No Sensor

 Up to **7 years warranty**  **Easy** return process